

# TECHNICAL DATA SHEET

**PRODUCT CODE(S):**

Q-0035

**PRODUCT DESCRIPTION:**

WHITSLIK BLADDER LUBE

**PHYSICAL PROPERTIES:**

COLOR:	WHITE EMULSION
TYPE:	WATER BASED
VISCOSITY:	1000+/-200 CPS #2@12 RPM
WEIGHT PER GALLON:	8.38 lbs/gal ± 0.30 lbs. 1.00 g/ml ± 0.04 g/ml
SPECIFIC GRAVITY (ASTM D 1475-90):	1.000 ±
GLOSS @ 60°:	
pH:	5-8
FLASH POINT:	212 °F 100.0 °C
SOLIDS:	20.38 % by weight 19.86 % by volume
THEORETICAL COVERAGE:	318.55 ft <sup>2</sup> / gal @ 1.0 mil dry 7.82 m <sup>2</sup> /l @ 25.4 μ
VOC (WET):	0.00 lb(s)/gal ( 0.0 g/l)
VOC (DRY):	0.00 lb(s)/gal ( 0.0 g/l)

**APPLICATION:**

RECOMMENDED FILM THICKNESS:	1.00 mil (wet) 25.40 g/m <sup>2</sup> 0.20 mil (dry) 5.18 g/m <sup>2</sup>
COVERAGE:	1,604.00 ft <sup>2</sup> /gal @ 0.20 mil (dry)
METHOD:	SPRAY OR SPONGE APPLICATION
CURE METHOD:	
REDUCTION:	NONE RECOMMENDED
CLEAN UP:	WATER
RECOMMENDED EQUIPMENT:	

**SUBSTRATE:**

TYPE:	TIRE CURING BLADDERS
PREPARATION:	NONE

**HANDLING & STORAGE:**

SHELF LIFE:	12 MONTHS FROM MANUFACTURE DAY
FREEZE CAUTION:	Protect from freezing
RECOMMENDED STORAGE:	COOL, DRY LOCATION

**ADDITIONAL GUIDELINES:**

Apply onto new bladders prior to installation, or onto old bladders in service to restore slip and release. Close container after use.

## A focused partner in advanced coating, chemical & manufacturing solutions...

Founded in 1878, APV Engineered Coatings custom engineers and manufactures industrial coatings and advanced chemical products out its state-of-the-art facility in Akron, Ohio. APV is a partner for some of the world's top producing manufacturers due to our expertise in chemical composition, the commercialization of advanced materials, and large-scale production with acute quality control. Our innovative solutions have been integrated into a variety of industries for unique applications.

At APV, clients work with knowledgeable and personable staff who are focused on delivering optimum solutions in an unprecedented timeframe. APV thrives by recognizing the importance of our clients' success, which have proved to create long-standing partnerships.



APV Engineered Coatings, Inc.  
1390 Firestone Parkway  
Akron, Ohio 44301 USA  
800.772.3452  
sales@apvcoatings.com  
www.apvcoatings.com

rev. date: 08/09/2016

The information and data given herein are based upon tests and reports considered reliable and are believed to be accurate. However, due to varied application and handling methods, no guarantee of duplicate performance, expressed or implied, is made.